

Sheep & Goat Product Guide





All grain ration fortified with vitamins and minerals specific to growing lambs from seven days old to one year and older. Refer to bag for feeding instructions.

Feeding Directions

Feeding directions and limitations: Feed 3 lbs. per 100 lbs. of body weight to provide 22.7 mg per 100 lbs. of body weight (.5 mg per kg) per day; feed for at least 28 days during periods of exposure to coccidiosis or when it is likely to be a hazard. Do not feed to sheep producing milk for food. Always supply fresh clean water along with this ration.

Ingredients

Grain Products, Plant Protein Products, Molasses Products, Soy Oil Liquid, Calcium Carbonate, Salt, Monocalcium Phosphate, Potassium Magnesium Sulfate, Magnesium Oxide Sulfate, Manganous Oxide, Vitamin E Supplement, Ferrous Sulfate, Sodium Selenite, Cobalt Carbonate, Calcium Iodate, Vitamin A Acetate, Vitamin D3 Supplement, Mineral Oil.

Guaranteed Analysis

Active Drug Ingredient: **Decoquinate 17.952g/ton (.0125%)**

Crude Protein (Min)...... 16 % Total Fat (Min)...... 4 % Crude Fiber (Max)..... 5 % Calcium (Min)..... 1 % Calcium (Max)..... 2 % Phosphorus (Min)..... 0.2 % Salt (Min)..... 0.2 % Salt (Max)..... 0.7 % Vitamin A Added (Max)..... 7,751 KIU/Lb Selenium (Min).... 0.4 PPM Selenium (Max)..... 0.9 PPM Vitamin A Added (Max)..... 7,751 KIU/Lb **WARNING** Sheep feeds are formulated without added copper and may not provide adequate copper for other animal species.





All grain ration is fortified with vitamins and minerals specific to ewes one year of age and older. Can also be fed to non-lactating ewes, ewes during gestation and during lactation stages.

Feeding Directions

During gestation feed 1 to 1.5 lbs per day. However, the main goal is to maintain good body condition. The farmer is still the best judge of this. For lactating ewes feed 2 to 2.5 lbs. per ewe per day. This feeding rate depends on if the ewe is nursing one lamb or twins. The farmer still will determine if his ewes need more to maintain body condition. In both cases there should be good quality hay available to the ewes at all times along with fresh water.

Ingredients

Grain Products, Plant Protein Product, Molasses Products, Calcium Carbonate, Salt, Monocalcium Phosphate, Potassium Magnesium Sulfate, Magnesium Oxide Sulfate, Manganous Oxide, Vitamin E Supplement, Ferrous Sulfate, Sodium Selenite, Cobalt Carbonate, Calcium Iodate, Vitamin A Acetate, Vitamin D3 Supplement, Mineral Oil.

Guaranteed Analysis

| Crude Protein (Min) 14. % |
|------------------------------------|
| Total Fat (Min) 2 % |
| Crude Fiber (Max) 3 % |
| Calcium (Min) 1.0 % |
| Calcium (Max) 1.5 % |
| Phosphorus (Min) 0.2 % |
| Salt (Min) 0.2 % |
| Salt (Max) 0.7 % |
| Selenium (Min) 0.4 PPM |
| Vitamin A Added (Max) 7,751 KIU/Lb |
| |

WARNING Sheep feeds are formulated without added copper and may not provide adequate copper for other animal species.





This is a highly concentrated formulation that can be used at 1/2 rate of conventional feeds. No additional feed supplementation is needed as the "MG" formulation contains adequate fortification to meet the needs of the milking doe.

Feeding Directions

Feed salt and water free choice. Feed daily in two or more feedings. Maximum use rate 1.5 lbs. per 100 lbs. of body weight per day. Also feed hay and/or pasture. Do not feed other supplements with "MG." This feed contain maximum nutrition.

Caution: Do not feed to sheep or other copper sensitive species.

Ingredients

Cracked Corn, Extruded Expelled Soybean Meal, Corn byproducts, Molasses products, Soybean Hulls, Cottonseed Hulls, Flaxseed, Stabilized Soybean oil, Calcium Carbonate, Lactose, Wheat Middlings, Cultured Wheat Whey (cultured w/Lactobacilus Bulgaricus), Whole Sweet Whey, Sodium Chloride, Monocalcium Phosphate, Magnesium Oxide, Alphotopherol Acetate (source of Vitamin E activity), Iron Sulfate, L-Lysine, DL Methionine, Potassium Chloride, Zinc Proteninate, L-Threonine, Zinc Oxide, Copper Sulfate, Manganese Protienate, Magnesiummice, Copper Proteinate, Manganous Oxide, Chloine Chloride, Vitamin B-12 Supplement, Menadione Sodium Bixfulate (source of Vitamin K Activity), Niacin, D-Calcium Pantothenate, Sodium Selenite, Biotin, Pyndoxine Hydrochloride, Thiamine Mononitrate, Cobalt Proteinate, Riboflavin Supplement, Vitamin A Acetate (stability improved), Potassium Iodide, Folic Acid, d-activated animal sterol (source of Vitamin D-3 activity, Cobalt Carbonate, Mineral Oil, Propionic Acid, Ammonium Hydroxide, Acetic Acid, Benzoic Acid, Sorbic Acid, Tartaric Acid, Aspergillus Oryzee, Trichoderma Fermentation Extracts, Yucca Schidigera Plant Extract, Cultured Sweet Whey, Dried Aspargillus Oryzae, Live Saccharamuces Cervisige, Bacillus Subtillis, Lactobacillus Acidophilus, Lactobacilus Plantarum, Lactobacilus, Fermentum Lactobacillus Casol, Enteroccocus Faccieum, Lactobacillus Casel, Enterococcus Faccieum, Carmel Flavoring, Artifical and Natural Flavorings.

Guaranteed Analysis

| Crude Protein (Min) 16 % |
|--------------------------|
| Crude Fat (Min)7 % |
| Crude Fiber (Min) 5 % |

WARNING All goat feeds contain copper and should not be fed to sheep due to higher copper levels which may be toxic to sheep!



A pellet and grain blended ration balanced and fortified for goats in all stages of life. Packed with an excellent supply of energy, protein, and minerals if fed according to directions.

Feeding Directions

Feed 1/2 to 1 lb. of feed per 100 lbs. of body weight. Feed good quality hay at the rate of 1-2 lbs. per 100 lbs. body weight daily. Provide fresh, clean water at all times.

Caution: Do not feed to sheep or other copper sensitive species.

Ingredients

Grain Products, processed grain by-products, forage products, roughage products, plant protein products, Monocalcium Phosphate, Calcium Carbonate, Salt, Sodium Bentonite, Ammonium Chloride, Mineral Oil, Yeast Culture (live Saccharomyces cerevisiae grown on media of ground yellow corn, diastatic malt and cane molasses), Sodium Selenite, Artificial Flavor, Potassium Iodide, Dried Enterococcus faeclum fermentation product, Dried Lactobacillus acidophilus fermentation product, dried Aspergillus oryzae fermentation extract, Dried Aspergillus niger fermentation extract, Manganese Proteinates, Zinc Proteinate, Magnesium Sulfate, Copper Proteinate, Cobalt Proteinate, Vitamin A Acetate, D-activated Animal Sterol (source of Vitamin D3), Vitamin B12 Supplement, di-Alphatocopherol Acetate (source of Vitamin E), Choline Chloride, Calcium Pantothenate, Niacin, Riboflavin Supplement, Thiamine Mononitrate, Pyridoxine Hydrochloride.

Guaranteed Analysis

| Crude Protein (Min) 14 % |
|--------------------------|
| Crude Fat (Min) 4.5 % |
| Crude Fiber (Max) 16 % |

WARNING All goat feeds contain copper and should not be fed to sheep due to higher copper levels which may be toxic to sheep!





A complete goat ration fortified with all the necessary vitamins/minerals for a healthy herd at any stage of life. This highly digestible pellet is a great energy source for your does and kids. It can also be fed to bucks and wethers. No added supplements needed in conjunction with the goat pellet.

Feeding Directions

Consult with your nutritionist about proper feeding directions. However, typically you would feed 1.5% to 2.0% of body weight or as needed to maintain weight gain.

Caution: Do not feed to sheep or other copper sensitive species.

Ingredients

Grain Products, Processed Grain By-Products, Plant Protein Products, Roughage Products, Molasses Products, Calcium Carbonate, Plain Salt, Monocalcium Phosphate, Vegetable Fat, Artificial Flavor, Dynamate, Ammonium Chloride, Magnesium Oxide, Copper Sulfate, Choline Chloride, Niacin, Thiamine Mononitrate, Biotin, Manganese Sulfate, Zinc Sulfate, Zinc Oxide, Manganous Oxide, Vitamin E Supplement, Ferrous Sulfate, Ferrous Carbonate, Vitamin A Supplement, Copper Oxide, Vitamin D3 Supplement, Cobalt Carbonate, Calcium Iodate, Sodium Selenite, BHT, Ethoxyquin (Preservatives).

Guaranteed Analysis

 WARNING All goat feeds contain copper and should not be fed to sheep due to higher copper levels which may be toxic to sheep!





All stock is formulated to be fed for the maintenance of mature horses and can also be fed as a general feed to any species of livestock.

Feeding Directions

Feed 1/2 to 1 lb. of feed per 100 lbs. of body weight. Feed good quality hay at the rate of 1-2 lbs. per 100 lbs. body weight daily. Provide fresh, clean water at all times.

Ingredients

Processed Grain By-Products, Grain Products, Molasses Products, Calcium Carbonate, Oats, Plain Salt, Vitamin A Acetate, Vitamin E Supplement, Vitamin D3 Supplement, Mineral Oil.

Guaranteed Analysis

| Crude Protein (Min) 12 % | | |
|------------------------------------|--|--|
| Total Fat (Min) 3 % | | |
| Crude Fiber (Max)7 % | | |
| Acid Detergent Fiber (Min) 9 % | | |
| Neutral Detergent Fiber (Min) 31 % | | |
| Calcium (Min) 0.5 % | | |
| Calcium (Max) 1.0 % | | |
| Phosphorus (Min) 0.9 % | | |
| Selenium (Min) 0.5 PPM | | |
| Zinc (Min) 74 PPM | | |
| Vitamin A (Min) 1.6 KIU/LB | | |





Partnering with Rockingham Cooperative, we are introducing our new Amino Power Show Feed. The Amino Power Show Feed is a full-line of products for four (cattle, hogs, goats & lambs) show species that offers a cost-effective show feed for youth exhibitors providing high-quality nutrition to your livestock while not weighing too heavy on the exhibitors pocket book.

This feed was specifically formulated with the athlete's best nutrition in mind. A synergistic relationship between our ingredients allows for continual absorption of protein throughout the entire digestion process and a greater return on your investment. "Feed With A Purpose"- know what ingredients you are putting in front of your market project, and have confidence in knowing they are the right fit for your goals!



\$1 from every bag purchased goes to support our local 4H & FFA!



4-H and FFA programs provide an educational experience, setting them up for success in their life and career. Deal-Rite Feeds wishes to support these hardworking youth by investing \$1 from every bag purchased into our service area youth programs.

We are an authorized Amino Power Show Feed Dealer via





No matter the species, Amino Power Show Feed has the most diverse and intricate amino acid profile of any show feed in the marketplace. The mixture of synergistic ingredients allows for maximum absorption of nutrients throughout its entire journey through the digestive system. Amino Power Show Feed will maximize the genetic potential of your livestock to create more athletic, efficient and profitable projects.

Feeding Directions:

Feed continuously as sole ration at the rate of 0.5-3 pounds/head/day or to desired level of performance, combined with free choice high-quality forage and fresh water.

Ingredients

Grain Products, Processed Grain By-Products, Molasses Products, Roughage Products, Plant Protein Products, Calcium Carbonate, Vitamin A Acetate, Vitamin E Supplement, Vitamin D3 Supplement, Soy Oil.

Guaranteed Analysis

ACTIVE DRUG INGREDIENT Decoquinate.....15.134 g/ton

| Crude Protein (Min) | 18 % |
|---------------------|-------|
| Total Fat (Min) | 3.5 % |
| Crude Fiber (Max) | 8 % |

Go to our website to find out more about our Junior Livestock Program!



Minerals: Shepherd's Pride

Feeding Directions

Shepherd's Pride is intended for free choice feeding. A ewe should consume 1 to 1 ½ ounces per day. Place mineral feeder in an accessible area and keep fresh mineral before the sheep.

Ingredients

Monocalcium Phosphate, Dicalcium Phosphate, Magnesium Oxide, Magnesium Sulfate, Potassium Sulfate, Calcium Carbonate, Ferrous Sulfate, Zinc Sulfate, Manganese Oxide, Cobalt Sulfate, Calcium Iodate, Anhydrouse, Sodium Selenite, Vitamin A Acetate, D-Activated Animal Sterol (source of Vitamin D), DL-Alpha Tocopheryl Acetate (source of Vitamin E), Mineral Oil.

| Calcium (Min) | 19 % |
|-------------------|------------------|
| Calcium (Max) | 23 % |
| Phosphorous (Min) | |
| Magnesium (Min) | 2.5 % |
| Sulfur (Min) | |
| Potassium (Min) | |
| Salt (Min) | 15 % |
| Salt (Max) | 17 % |
| Iron (Min) | 0.24 % |
| Zinc (Min) | 0.27 % |
| Manganese (Min) | 0.24 % |
| Cobalt (Min) | 0.003 % |
| lodine (Min) | 0.004 % |
| Selenium (Min) | 0.0024 % |
| Vitamin A (Min) | |
| Vitamin D (Min) | 60,000 USP IU/LB |
| Vitamin E (Min) | 800 IU/LB |

#6000

Minerals: Lamb's Pride BOV

MEDICATED

Benefits

For the prevention of Coccidiosis caused by Eimeria Ovina, E. Crandallis, E. Ovinoidalis (E Ninoakohlyakimovae), E. Parva, and E. Intricata.

Feeding Directions

Feed continuously to provide not less than 15 mg and no more than 70 mg of Lasalocid per head per day. CAUTION: The safety of Lasalocid in unapproved species and breeding animals has not been established. Do not allow horses or other equines access to Lasalocid as ingestion may be fatal. Feeding this supplement undiluted or mixing errors resulting in excessive concentrations of Lasalocid could be fatal to sheep.

USE LIMITATIONS: Feed only to sheep maintained in confinement.

Ingredients

Monocalcium Phosphate, Dicalcium Phosphate, Magnesium Oxide, Magnesium Sulfate, Potassium Sulfate, Ammonium Chloride, Calcium Carbonate, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Cobalt Sulfate, Calcium Iodate Anhydrous, Sodium Selenite, Vitamin A Acetate, D-Activated Animal Sterol (source of Vitamin D), DL-Alpha Tocopheryl Acetate (source of Vitamin E), Vitamin B-12, Riboflavin, D-Calcium Pantothenate, Niacin, Methionine, Vitamin K, Mineral Oil.

Guaranteed Analysis

| ACTIVE DRUG INGREDIENT | | |
|------------------------|------------|--|
| Lasalocid | 1440 g/ton | |
| Calcium (Min) | 17 % | |
| Calcium (Max) | 21 % | |
| Phosphorus (Min) | | |
| Magnesium (Min) | 2.50% | |
| Sulfur (Min) | | |
| Potassium (Min) | 5 % | |
| Salt (Min) | | |
| Salt (Max) | 17 % | |
| Iron (Min) | 0.24 %. | |
| Zinc (Min) | 0.40 % | |
| Manganese (Min) | 0.24 % | |
| Cobalt (Min) | 0.003 % | |
| lodine (Min) | 0.004 % | |
| Selenium (Min) | 0.0024 % | |

| Vitamin A (Min) | 300,000 USP IU/LB |
|-----------------|-------------------|
| Vitamin D (Min) | 60,000 USP IU/LB |
| Vitamin E (Min) | 400 IU/LB |

#6100



f facebook.com/dealrite.feeds 📀 (

O @dealritefeeds